

**ADVENTURE FIRST AID .5 TIN- benzocaine, alcohol, benzalkonium chloride  
Tender Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Adventure First Aid .5 Tin**

**Active Ingredient - Antiseptic**

Benzalkonium Chloride 0.13%

**Purpose - Antiseptic**

Antiseptic

**Use - Antiseptic**

For Professional and hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings, Precautions and Directions - Antiseptic**

For External use only.

Keep out of Reach of Children.

Stop use if unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not uses in eyes or over large areas of the body.

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive Ingredients - Antiseptic**

Purified Water

**Active Ingredient - Alcohol Prep Pad**

Isopropyl Alcohol 70%

**Use - Alcohol Prep Pad**

For preparation of the skin before injection

**Warnings, Precautions and Directions - Alcohol Prep Pad**

For External Use Only

Flammable - Keep away from fire or flame

Do Not Use - with electrocautery, in eyes

Stop Use and Ask a Doctor if - Irritation or redness develop and persists for more than 72 hours

Keep out of Reach of Children

If swallowed, get medical help or contact a poison control center right away.

Tear Open packet, unfold and use as and wipe injection site vigorously and discard.

Store at Room Temperature

**Active Ingredients - Insect Relief Pad**

Benzocaine 6%

SD alcohol 60%

**Purpose - Insect Relief Pad**

Topical Anesthetic - Antiseptic

**Use - Insect Relief Pad**

For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites

**Warnings, Precautions and Directions - Insect Relief Pad**

Clean intended area thoroughly with pad. Discard after single use

Warnings: For external use only.

Avoid contact with eyes. If this happens, rinse thoroughly with water

If swallowed, get medical help or contact a Poison Control Center right away

Flammable - keep away from fire or flame

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

**Active Ingredients - Triple Antibiotic Ointment**

Bacitracin Zinc 400 units

Neomycin Sulfate 5mg ( equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

**Purpose - Triple Antibiotic Ointment**

Triple Antibiotic

**Use - Triple Antibiotic Ointment**

To help prevent infection in: minor cuts; scrapes and burns

**Warnings, Precautions and Directions - Triple Antibiotic Ointment**

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician

Stop use and consult a doctor: if the condition persists or gets worse; a rash or other allergic reaction develops.

Keep out of reach of children.

If ingested, contact a Poison Control Center right away

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage.

### Adventure First Aid .5 Tin

<p>Reorder TAO-001</p> <p><b>Genuine Triple Antibiotic</b></p>	<p><b>Drug Facts</b> <b>Uses:</b> To help prevent infection in • minor cuts • scrapes • burns <b>Warnings:</b> <b>For external use only</b> <b>Do not use</b> • in eyes • over large areas of the body • if allergic to any of the ingredients • for more than one week unless directed by a physician <b>Stop use and consult a doctor</b> • if the condition persists or gets worse • a rash or other allergic reaction develops <b>Keep out of reach of children.</b> If ingested, contact a Poison Control Center right away. <b>Directions:</b> • clean affected area • apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage <b>Other information:</b> Store at room temperature</p>
<p><b>First Aid Ointment To Help Prevent Infection</b></p> <p><b>Each Gram Contains:</b> <b>Bacitracin Zinc 400 units</b> <b>Neomycin Sulfate 5 mg</b> <b>(equivalent to 3.5 mg Neomycin base)</b> <b>Polymyxin B Sulfate 5000 units</b> <b>Net Wt 0.5g • (1/64 oz)</b></p>	
<p> <b>Manufactured in CHINA for GENUINE FIRST AID.</b></p>	<p><b>LOT</b> </p>

**Designed by Adventure® Medical Kits** – the industry leader in outdoor medical products for over 20 years. This first aid kit contains high quality medical supplies and survival tools to help you **Be Safe** in all of your adventures.



**BONUS:**  
Register your kit at [reglsteryourkit.com](http://reglsteryourkit.com)  
and receive 25% off your first refill order!  
Have a great adventure and **BE SAFE**.

This first aid kit is not meant to be a substitute for seeking professional medical care. Review contents of kits and instructions before using. Obtain training on first aid and CPR.



## Adventure® First Aid Water-Resistant



- Great for water activities, camping and hiking
- Compact—keep one anywhere you might need first aid
- Treats the most common injuries including cuts, scrapes and blisters

Manufactured by:



Littleton, NH 03561  
[adventuremedicalkits.com](http://adventuremedicalkits.com)

**We reserve the right to add, withdraw,  
or replace items at our discretion.**

4120-0200

California Proposition 65  
Warning: This product contains  
chemicals known to the State of  
California to cause cancer, or  
birth defects or other  
reproductive harm.

Contains Latex

Made in China



# Adventure<sup>®</sup> First Aid [☔]

## Supply List

### Wound Care

- 3 Antiseptic Wipe
- 10 Easy Access Bandages<sup>®</sup>, 1" x 3" Fabric
- 5 Easy Access Bandages<sup>®</sup>, 3/4" x 3" Fabric
- 1 Easy Access Bandages<sup>®</sup>, Knuckle Fabric
- 1 Easy Access Bandages<sup>®</sup>, Elbow/Knee Fabric
- 2 Sterile Gauze Dressing, 2" x 2", Pkg./2
- 1 Tape, 1/2" x 5 Yards

### Blister

- 14 Moleskin, Pre-Cut & Shaped pcs.
- 3 Alcohol Wipe

### Medications

- 1 Insect Sting Relief Pad

### Other

- 1 Water-Resistant Case
- 1 Carabiner



REORDER ACP-001

**Alcohol Cleansing Pad**

---

**Toallitas Húmedas con Alcohol**



**DRUG FACTS - Alcohol Cleansing Pad**

<b>Active Ingredient:</b>	<b>Purpose:</b>
Isopropyl Alcohol, 70% w/v . . . . .	Antiseptic

**Use:** For preparation of the skin before injection.

**Warnings:** For external use only.

**Flammable - keep away from fire or flame.**

**Do not use:** with electrocautery, in the eyes

**Stop use** if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Wipe injection site vigorously and discard.

**Other information:** Store at room temperature 15°-30° C (59°-86° F)

**Inactive ingredient:** Purified water.

TEAR HERE



**Insect Sting Relief Pad**

---

**Toallitas para Picaduras de Insectos**

REORDER ISRP-001

**DRUG FACTS - Insect Sting Relief Pad**

<b>Active Ingredient:</b>	<b>Purpose:</b>
Benzocaine, 6% w/v . . . . .	Topical Anesthetic
SD alcohol, 60% w/v . . . . .	Antiseptic

**Use:** For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Flammable - keep away from fire or flame.** Avoid contact with eyes. If this happens, rinse thoroughly with water.

**Do not use:** In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

TEAR HERE

Made in CHINA

**LOT/EXP:**  
20130301

**DRUG FACTS - Antiseptic Towelette**

**Active Ingredient:** Benzalkonium Chloride 0.13%.. **Purpose:** First Aid Antiseptic

**Use:** For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

**Do not use:** In the eyes, or over large areas of the body.

**Directions:** Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive ingredient:** Purified water.

LOT/EXP: XXXXXXXX

TEAR HERE

REORDER AST-001



GFA Production Xiamen Co., Ltd  
www.gfaproduction.com



GFA Production Xiamen Co., Ltd  
No. 20 Hull Industrial Park, Meid Road,  
Tongan, Xiamen, Fujian, China 361100



Wellkang Ltd via Wellkang Tech Consulting  
Suite B, 29 Hanley Street  
LONDON W1G 9QR, England, United Kingdom



**ADVENTURE FIRST AID .5 TIN**

benzocaine, alcohol, benzalkonium chloride kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:44224-0203
---------------------	----------------	---------------------------	----------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-0203-1	1 in 1 BOX; Type 0: Not a Combination Product	10/01/2015	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	2 PACKAGE	1 mL in .5
Part 2	4 PACKAGE	3 mL in .7
Part 3	4 PACKAGE	3 mL in .8
Part 4	4 TUBE	2 g in .5

**Part 1 of 4**

**INSECT STING RELIEF PAD**

benzocaine, alcohol swab

**Product Information**

<b>Item Code (Source)</b>	NDC:52124-0008
---------------------------	----------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	0.6 mg in 100 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0008-1	0.5 mL in 1 PACKAGE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/23/2011	

## Part 2 of 4

### ALCOHOL PREP PAD

isopropyl alcohol swab

### Product Information

<b>Item Code (Source)</b>	NDC:52124-0017
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	700 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0017-1	0.7 mL in 1 PACKAGE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	02/01/2016	

**Part 3 of 4****ANTISEPTIC**

benzalkonium chloride swab

**Product Information**

Item Code (Source)	NDC:52124-0001
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	04/23/2010	

**Part 4 of 4****GENUINE TRIPLE ANTIBIOTIC**

bacitracin zinc,neomycin sulfate,polymyxin b sulfate ointment

### Product Information

**Item Code (Source)** NDC:52124-0003

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	
MINERAL OIL (UNII: T5L8T28FGP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-1	0.5 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	12/28/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/01/2015	

**Labeler** - Tender Corporation (064437304)

**Registrant** - Tender Corporation (064437304)

### Establishment

Name	Address	ID/FEI	Business Operations
Tender Corporation		064437304	manufacture(44224-0203)

